# Akuvox

Smart Intercom Catalogue



# Award Winning Design

The Fusion of Aesthetics and Technology















reddot winner 2023







#### **CONTENTS**

01 The Company

- The Global Leading Provider of Smart Intercom
- · Pioneer of Smart Intercom

**04** Smart Intercom Technologies

• Al

- · SIP
- Cloud
- Security
- Android
- Technology Partners

11 Smart Intercom Products

- · Door Phone
- · Access Control
- · Indoor Monitor
- Akuvox SmartPlus
- · 2-Wire Intercom
- Software
- · Android IP Video Phone

56 Smart Intercom Solutions

- · Residential
- · Assisted Care & Hospital
- Commercial
- Public Space

67 Accessories

· Overview of Mounting Accessories

74 Selection Guide

· Overview of Key Product Features

# The Company

#### The Global Leading Provider of Smart Intercom

Akuvox is a global leading innovator of smart intercom and access control products and solutions. We are committed to unleashing the power of technologies to improve people's lives with better communication, greater security, and more convenience.

Our products and solutions have been deployed and used daily in more than 110 countries and regions meeting customer needs in various vertical markets that range from residential to commercial, from healthcare to public safety.



#### **Pioneer of Smart Intercom**

Encompassing Artificial Intelligence, Cloud, Android, SIP, Security, and other advanced technologies, Akuvox continuously drives breakthrough changes in the industry and creatively delivers an unrivaled portfolio of smart intercom products and solutions, allowing more people to take advantage of smart living easily.












SIP See



# Smart Intercom Technologies

### **Smart Intercom Technologies-Al**

#### **Leading AI Technologies**



#### **Facial recognition door entry**

Your face is your identity. The underlying anti-spoofing liveness detection algorithm makes it hard to be fooled by photos or videos.



#### Offline voice control

Use your voice to control intercom devices. The voice data are processed directly on the device, faster and securer compared with an online method.



#### **Fall detection**

Exploring the synergy of image recognition technique and deep neural networks, Akuvox empowers intercoms to increase in-home safety for older individuals.




## **Smart Intercom Technologies-Cloud**

**Smart Cloud-based Intercom Service** 

Akuvox SmartPlus, a smart cloud-based intercom service, allows Akuvox's intercom and access control devices to link, communicate, and interact intelligently with one another without any geographical restrictions, making buildings smarter and securer.

- Mobility: intercom and building access anywhere, anytime
- Flexibility: remote provisioning and maintenance for any scale of systems
- **Stability**: 24/7 self-monitoring with >1 million monitoring tests per month at a 99.99% success rate
- Security: triple data backup mechanism ensuring 99.999% data reliability



### **Smart Intercom Technologies-Android**

Easy Integration, Deep Customization, Exceptional User Experience

The openness of Android makes it easy to integrate Akuvox's smart intercoms with 3rd-party systems like home automation and security systems.

Akuvox's finely-tuned Android systems are easy to use. The system's high flexibility also allows Akuvox to offer deep customization service to meet bespoke customer needs.

With the Google app store, users can enjoy millions of the latest Android apps and digital content from their indoor monitors.



## **Smart Intercom Technologies-SIP**

#### **Better Communication**

Akuvox's intercoms are based on SIP, a universal IP communication protocol, allowing you to build an extensive communication system. Compared with a non-SIP system, SIP-based intercoms are easy to learn, use and maintain and are easy to integrate into a phone system.



Premium audio and video quality



Communication between any SIP-supporting systems



Work with mobile phones and landlines




### **Smart Intercom Technologies-Security**

#### **Greater Security**

Akuvox's smart intercoms can be flexibly connected with various alarm systems such as smoke detectors for greater home security.

Akuvox dedicates itself to improving the robustness of its products against damage caused by external factors. Akuvox's intercoms are certified with IK and IP ratings, which can be as high as IK10 Rating, and feature the tamper-resistant mechanism.

We are also committed to protecting your intangible property through advanced network security measures, such as AES256, HTTPS, Anti-DDoS, and GDPR compliance.



## **Work with Global Technology Partners**

Together with our valued and trusted partners, Akuvox creates smart intercom and access control solutions that meet people's ever-increasing security and convenience needs.













# Smart Intercom Products

# S539 10"Android Door Phone

Multi-functional Camera Module for Seamless Door Entry







#### Akuvox S539

#### 10" Android Door Phone

- 10" fully-color touch display provides ultra-wide viewing angles
- IP66 & IK08
- · 120° wide-angle 5MP starlight and HDR camera
- . A dedicated QR camera for QR code scanning
- · Customizable motion detection zone
- Face verification accuracy >99%, face comparison speed <0.2s per person, false recognition rate<0.1%</li>
- Multiple verification methods including: facial recognition, NFC, 13.56MHz and 125kHz access cards, Bluetooth, and QR code
- Support ingenious and ergonomic screw-driving method for installation





















#### Akuvox S532

#### SIP Video Door Phone with A Seamless Fusion of Analog and IP Technologies

- · Vandal-resistant body, with numeric keypad
- IP66 / IK08
- 2MP camera with wide angles of 130°(H), 90°(V)
- · Smart motion detection with precision alerting
- Support multiple access control methods: PIN, NFC,13.56MHz/125kHz access cards, and BLE
- Ability to work with analog intercom systems
- Working Temperature: -40°C ~ +60°C
- Flush-mounted & surface-mounted





















#### Akuvox X915S

#### **Facial Recognition Android Door Phone**

- 8" full-color touch display provides ultra-wide viewing angles
- · Visible light facial recognition
- · Anti-spoofing algorithm against photos and videos
- 5MP primary camera features a built-in HDR mode to tackle a variety of high-contrast scenes
- · Fully compliant with the IK10 & IP66
- Support multiple verification methods, including the face, card, PIN, Bluetooth, and QR code
- · Ability to integrate with an induction loop antenna for users with hearing aids
- Multiple theme options available to personalize and suit a range of locations
- Cold-resistant (-40°C ~+60°C)

















#### Akuvox X912S

#### Vandal-resistant Door Phone for High-end Buildings

- 4" full-color touch display providing ultra-wide viewing angles
- · Slim design for limited installation space
- · Vandal-resistant body, fully compliant with the IK10 Rating
- Two-way audio communication over IP networks with echo cancellation feature
- Multi-way access feature including face ID, cards, PIN, BLE, QR codes & wave-to-unlock
- · Comply with SIP standard for easy integration with SIP capable PBXes
- Comply with ONVIF standard for easy integration with any network surveillance system





















#### **Akuvox R29C**

#### **Facial Recognition Android Door Phone**

- 7" capacitive touch screen supporting glove mode
- · Aluminum panel
- Dual-camera: one 120° wide-angle 3MP camera with IR and an auxiliary 1MP camera
- Support multiple access control methods: facial recognition,
   NFC,13.56MHz and 125kHz access cards, Bluetooth, and QR code
- Cold-resistant version (-40 °C to 55 °C) available
- · Support plasterboard installation
- · Black color version available













reddot winner 2022





# **E12**Smart Video Door Phone

Compact, Stylish and Versatile, Perfect for Every Front Door









Smart home integration



#### **Akuvox E12**

#### **Compact SIP Video Door Phone**

- Real-time 2-way talk
- · Live camera viewing
- Cloud or local based storage
- · Rated for outdoor use
- · Mobile app compatible
- Integrated with any SIP device

















#### Akuvox X916S

#### World's First Android Door Phone with Starlight Camera

- . 13" capacitive touch screen
- · 316-grade stainless steel panel
- · Dual-camera
- · Dual-microphone for noise reduction
- Support multiple access control methods: facial recognition, NFC, 13.56MHz and 125kHz access cards, Bluetooth, and OR code





#### Akuvox R29C-B

#### Facial Recognition Android Door Phone with Temperature Detection

- 7" capacitive touch screen supporting glove mode
- · Aluminum panel
- Dual-camera: one 120° wide-angle 3MP camera with IR and an auxiliary 1MP camera
- Support multiple access control methods: facial recognition, NFC,13.56MHz and 125kHz access cards
- · Body temperature measurement of people entering buildings
- · For indoor use only



#### Akuvox R29C-L

#### Facial Recognition Android Door Phone with 4G Technology

- . 7" capacitive touch screen supporting glove mode
- · Aluminum panel
- Dual-camera: one 120° wide-angle 3MP camera with IR and an auxiliary 1MP camera
- Support multiple access control methods: facial recognition, NFC,13.56MHz and 125kHz access cards
- LTE wireless communication requires the minimum efforts for device installation
- · On-wall mounting only



#### **Akuvox R28A**

#### SIP Video Door Phone with Numeric Keypad

- 4.3" color TFT LCD
- · Premium audio and video quality
- Aluminum panel
- · 116° wide-angle 2MP camera with automatic lighting
- Support multiple access control methods: NFC, 13.56MHz and 125kHz access cards
- Cold-resistant (-40 °C to 55 °C )



#### Akuvox R27A

#### SIP Video Door Phone with Numeric Keypad

- · Premium audio and video quality
- · Aluminum panel
- . 116° wide-angle 2MP camera with automatic lighting
- Support multiple access control methods: NFC, 13.56MHz and 125kHz access cards
- Anti-cold version (-40 °C to 55 °C) available



#### Akuvox R20K

#### Compact SIP Video Door Phone with Numeric Keypad

- · Premium audio and video quality
- . 110° wide-angle 2MP camera with automatic lighting
- · Support NFC, 13.56MHz and 125kHz access cards
- · Ideal for environments with limited space



#### **Akuvox R20B**

#### **Compact SIP Video Door Phone**

- · Five call buttons with nameplates
- Wide-angle camera: 110° (H), 58° (V)
- Two-way audio communication over IP networks with Echo Cancellation feature
- Comply with SIP standard for easy integration with SIP-capable PBXes
- Comply with ONVIF standard for easy integration with any network surveillance system



#### **Akuvox MD12**

#### Video Intercom Nametag Module

- Nametag module compatible with R20K/R20B
- · Twelve call buttons with nametags for easy calling
- IP65
- · Backlight compensation behind the nametag buttons
- · User-friendly and expandable
- In-wall installation



#### **Akuvox MD06**

#### Video Intercom Nametag Module

- . Nametag module compatible with R20K/R20B
- . Six call buttons with nametags for easy calling
- IP65
- Backlight compensation behind the nametag buttons
- · User-friendly and expandable
- · In-wall installation



#### Akuvox R20A

#### **Compact SIP Video Door Phone**

- · Premium audio and video quality
- 116° wide-angle 2MP camera with automatic lighting
- · Support NFC, 13.56MHz and 125kHz access cards
- · Ideal for environments with limited space



#### **Akuvox E21V**

#### SIP Video Emergency Intercom

- · Vandal-resistant with 316-grade stainless steel body
- · Premium audio and video quality
- . 116° wide-angle 2MP camera with automatic lighting



#### Akuvox E21A

#### SIP Emergency Intercom

- · Vandal-resistant with 316-grade stainless steel body
- IK10 Rating
- · Premium audio quality



#### **Akuvox E20S**

#### SIP Emergency Intercom

- · Vandal-resistant body with a panic button
- · IK10 Rating
- Two-way audio communication over IP networks with Echo Cancellation feature
- · Support advanced group conference call features
- · Powered by PoE
- Comply with SIP standard for easy integration with SIP capable PBXes



#### Akuvox E18C

#### 7" Face Recognition Door Phone

- · Visible light facial recognition
- Dual cameras with anti-spoofing algorithm against photo and video attacks
- · 20,000 face capacity & 20,000 card capacity
- Face recognition duration less than 0.2s/user, face recognition accuracy rate greater than 99.5%
- Allow both audio and video communication to an IP phone, mobile client, or softphone
- Multiple verification methods including: face, PIN, cards NFC, BLE and OR codes
- · Support stand-alone operation
- · Configuration via web browser
- · Support 4G module (optional)



#### **Akuvox E16C**

#### **Facial Recognition Door Phone**

- 5" full-color touch display provides ultra-wide viewing angles
- · Visible light facial recognition
- · Anti-spoofing algorithm against photos and videos
- Support SIP to provide reliable two-way voice & one-way video communication
- Support multiple verification methods, including the face, card, PIN, Bluetooth, and QR code
- · Support stand-alone operation
- · Optional body temperature detection function
- · Powered by PoE or external power supply



#### **Akuvox E11R**

#### **Compact SIP Video Door Phone**

- · Premium audio and video quality
- 116° wide-angle 2MP camera with automatic lighting
- · Support NFC, 13.56MHz and 125kHz access cards
- · Ideal for environments with limited space
- · For indoor use only





# S567 A Smart Intercom, as well as a Gear for Audiophile

#### Akuvox S567W

#### 10" Android Indoor Monitor

- Built-in Wi-Fi 6 and Bluetooth feature (Optional)
- 5MP camera (Optional)
- · Two-way audio communication
- · Automatically adjust the screen brightness
- · Built-in smart voice assistant
- · Support voice changer
- Comply with SIP standard for easy integration with SIP-capable PBXes
- · Powered by PoE or external source
- · Support US or European electrical wall box mounting
- · White color housing available
- · Desk mount available











#### Akuvox S563

#### 8" Android Indoor Monitor

- 8" touch screen with 1280x800 resolution
- · Stylish industrial design
- · Two-way audio communication
- Built-in Wi-Fi (Optional)
- · Built-in smart voice assistant
- · Support voice changer
- Comply with SIP standard for easy integration with SIP-capable PBXes
- · Eight-channel inputs and one built-in relay
- · Powered by PoE or external source
- · Support US or European electrical wall box mounting
- · Desk mount available













#### **Akuvox IT88S**

#### **Android Indoor Monitor for Smart Home Solution**

- 10" capacitive touch screen IPS LCD with 1280 x 800 resolution
- HD video & audio communication
- · Built-in offline voice assistant
- · Eight channel inputs and two embedded relays
- · Support 3rd-party apps installation
- · Built-in SIP PBX function










## **Akuvox IT88P**


#### **Android Indoor Monitor for Smart Home Solution**

- 10" capacitive touch screen IPS LCD with 1920 x 1200 resolution
- HD video & audio communication
- · Built-in offline voice assistant
- · Eight channel inputs and two embedded relays
- Support 3rd-party apps installation
- · Built-in SIP PBX function









## C319

Smart Indoor Monitor Specially Designed for Older Individuals

- Al-powered Voice Assistant
- Work with Telecare Pendants
- SIP Built-in SIP Server



## **Akuvox C319**

#### **Android Indoor Monitor for Smart Home Solution**

- 10" capacitive touch screen IPS LCD with 1280 x 800 resolution
- IMP camera (optional)
- HD video & audio communication
- Built-in Bluetooth and Wi-Fi feature (optional)
- · Built-in offline voice assistant
- · Eight channel inputs and two embedded relays
- Support 3rd-party apps installation
- Support RF433/RF869 and Akuvox EP10 (optional)
- Built-in SIP PBX function
- · Desk mount available











## X933

Luxury Smart Indoor Monitor Perfect for Your Home



Italian Industrial Design



Al-powered Voice Assistant



Smart Home Integration

## Akuvox X933


#### **Android Indoor Monitor for Smart Home Solution**

- 7" touch screen with 1280 x 800 resolution
- · Excellent performance with Android 9.0 OS
- · Eight-channel inputs and two built-in relays
- · Dual-microphone for noise reduction
- Support 3rd-party apps
- · White color housing available
- · In-wall mounting version available











## Akuvox S565

#### 10" Linux Indoor Monitor

- 10" touch screen with 1280x800 resolution
- · Stylish industrial design
- · Two-way audio communication
- · Built-in Wi-Fi (Optional)
- Comply with SIP standard for easy integration with SIP-capable PBXes
- · Eight-channel inputs and one built-in relay
- · Powered by PoE or external source
- · Support US or European electrical wall box mounting
- · Desk mount available



## Akuvox S562

#### 7" Linux Indoor Monitor

- 7" touch screen with 1024x600 resolution
- · Eight-channel inputs and one built-in relay
- · Built-in Wi-Fi feature (Optional)
- · Stylish industrial design
- · Friendly user interface
- · Desk mount available



## Akuvox S562-S

#### 7" Linux Indoor Monitor

- 7" touch screen with 1024x600 resolution
- · Eight-channel inputs and one built-in relay
- . Built-in Wi-Fi feature (Optional)
- · Stylish industrial design
- · Friendly user interface
- · Surface mount available



## Akuvox S560

#### **Audio Indoor Answering Unit**

- · Ergonomic design, comfortable to use, and easy to operate
- · Exceptional two-way audio communication
- · Easy integration with SIP PBXes
- · Powered by PoE or an external power supply
- Support key customization
- · Support speed dial and long-press to call preset numbers
- · Support one-press call to property managers
- · On-wall or desktop mounting options available



## 



#### **Android Indoor Monitor** for Smart Home Solution

- 7" touch screen with 1024 x 600 resolution
- · Five programmable pushbuttons
- · Eight-channel inputs and one built-in relay
- · Support 3rd-party apps
- · Optional 1MP camera
- · Optional RF 433/869 application

Disclaimer: Amazon, Alexa and all related logos are trademarks of Amazon.com. Inc. or its affiliates.



## Akuvox C315

#### **Android Indoor Monitor for Smart Home Solution**

- 7" touch screen with 1024 x 600 resolution
- · Eight-channel inputs and one built-in relay
- · Support 3rd-party apps
- · White color housing available
- · Optional RF 433/869 application



## **Akuvox C313**

#### **Budget-friendly Indoor Monitor**

- 7" touch screen with 800 x 480 resolution
- · Eight-channel inputs and one built-in relay
- · White color housing available

# Smart 2-Wire SIP Video Intercom

It's time to upgrade your outdated analog systems!

- Save costs by reusing existing cables
- Improve user experiences with smart features
- Fit for projects large or small





## Akuvox R20K-2

#### 2-Wire SIP Video Door Phone

- . Two-pin wire for power supply and network access
- Wide-angle camera: 110° (H), 58° (V)
- · IC/ID card reader & keypad embedded
- Two-way audio communication over IP networks with Echo Cancellation & noise suppression
- · H.264 video compression



## Akuvox R20A-2

#### 2-Wire SIP Video Door Phone

- · Vandal-resistant body, with a flush button
- · Two-pin wire for power supply and network access
- Wide-angle camera: 110° (H), 58° (V)
- · IC/ID card reader embedded
- Two-way audio communication over IP networks with echo cancellation & noise suppression
- H.264 video compression



## Akuvox C313W-2

#### 2-Wire SIP Indoor Monitor

- 7" touch screen with 800 x 480 resolution
- · Eight-channel inputs and one built-in relay
- · White color housing available
- · Support 2-wire connection



## **Akuvox NS-2**

#### 2-Wire IP Network Switch

- · Connect up to six 2-wire IP intercom devices
- Support network and power supply for R20A-2 or C313W-2 through 2-wire cable
- · Support multi-level cascade through 2-wire cable
- · Long data transmission distance



## Akuvox 2-Wire Adaptor Kit

#### Ethernet to 2-Wire Adaptor Kit

- Support PoE input and output
- Long transmission distance via 2-wire cable
- Powered by PoE



## **Akuvox NC-2**

#### Ethernet to 2-Wire Adaptor

- Support PoE Output
- Long transmission distance via 2-wire cable
- Support for paired use or use with Akuvox NS-2
- . Powered by 48VDC unit or NS-2

**R49G** 

## **Android IP Video Phone**

- 7" touch screen with 1024 x 600 resolution
- Excellent performance with Android 9.0 OS
- Premium audio and video quality
- **DTMF** DTMF for remote door opening
- 2MP camera with privacy shutter
- Built-in Bluetooth, USB, and Wi-Fi
- Support 3rd-party apps





## **Akuvox A08S**

#### **Mullion Size Access Control Terminal**

- Touch keypad
- · QR code scanner
- · Aluminum alloy panel
- Support multiple access control methods: PIN, NFC,13.56MHz and 125kHz access cards, Bluetooth, and QR code
- APIs available for easy integration with 3rd-party systems
- · Support tamper-proof alarm
- Support up to 20,000 cards and 100,000 card event logs
- BLE 5.0
- · Support OSDP & Wiegand protocol
- · Ideal for environments with limited space















## **Akuvox A03S**

#### **Access Control Terminal**

- · Toughened glass & aluminum alloy panel
- 13.56MHz & 125kHz RFID card reader & NFC
- · Small and exquisite, suitable for installation in narrow spaces
- APIs available for easy integration with 3rd-party systems
- · Support tamper-proof alarm
- Support up to 20,000 cards and 100,000 card event logs
- BLE 5.0















### Akuvox A05

#### **Facial Recognition Access Control Terminal**

- . 5" full-color display provides ultra-wide viewing angles
- · Visible light facial recognition
- · Anti-spoofing algorithm against photos and videos
- Support multiple verification methods, including the face, card, and QR code
- · Support stand-alone operation
- · Optional body temperature detection function
- · Powered by PoE or external power supply



### Akuvox A02S

#### **Access Control Terminal**

- · Touch keypad
- · Aluminum alloy panel
- Support multiple access control methods: PIN codes, NFC, 13.56MHz and 125kHz access cards, and two-factor authentication.
- · APIs available for easy integration with 3rd-party systems
- · Support tamper-proof alarm
- . Support up to 20,000 cards and 100,000 card event logs
- · Ideal for environments with limited space



## **Akuvox A01S**

#### **Access Control Terminal**

- · Toughened glass & aluminum alloy panel
- Support multiple access control methods: NFC, 13.56MHz and 125kHz access cards
- . APIs available for easy integration with 3rd-party systems
- · Support tamper-proof alarm
- . Support up to 20,000 cards and 100,000 card event logs
- · Ideal for environments with limited space



## **Akuvox SR01**

#### **Security Relay**

- · Ultra-compact form
- · Indoor installation
- Encrypted data communication
- · Easily placed in most standard installation boxes



## **Akuvox EC33**

#### **Elevator Access Controller**



Support 32 outputs with further expansion to 64 outputs



Support up to 20,000 cards and 100,000 card event logs



Support Wiegand 26/34



Compatible with Akuvox intercoms and access control terminals



Support remote control via Akuvox Cloud



## Akuvox A094S


#### **4 Door Controller**





















## **SmartPlus App**

The SmartPlus App allows residents to see and talk to visitors, open doors, monitor building entrances and issue virtual keys from their smartphones, which offers an elevated building entry experience.

#### **Preview**



See who is at the entrance before answering the call

#### **Video Calling**

See and talk to visitors with live video before buzzing them in remotely

#### **Door Unlocking**

Open doors using the "Open Door" button of the app or Bluetooth or through a standard phone call





#### Virtual Key

Issue time-limited QR code keys and guest PINs

#### **Push Notification**



Get instant notifications of incoming calls


#### Door Release Log



Access to date- and time-stamped photos of door release events







## **Property Management Portal**

The web-based property access management portal of Akuvox SmartPlus offers a bunch of remote-working features that greatly enhance building operation efficiency.

- Manage all properties of multiple sites from a single interface
- Access to time- and date- stamped photos of all door entries
- Assign time-limited PINs to delivery or service people
- Easy posting of community announcements
- Easy integration with existing building systems



## **Akuvox My MobileKey**

#### **Bluetooth Mobile Credential**

- · Support wave-to-unlock feature
- · Support door opening using the unlocking tab of the app
- . Bluetooth credential secured by the AES256 encryption protocol
- . Integration with the Akuvox ACMS
- · Available for Android & IOS version



## **Akuvox ACMS**

#### PC-based Access Control Management System for Small and Medium Businesses

- · Staff information management
- · Device management
- · Access control management
- · Access to detailed access logs



## Akuvox SDMC

#### On-premise Software for Community-wide Intercom System Management

- · Batch deployment of devices automatically
- · Real-time video monitoring
- · Access control management
- · Messaging and ad pushing



## **Akuvox PC Manager**

## PC-based Management Software for Intercom Configuration

- · Automatic search and connection of intercom devices
- Addition, modification, and deletion of intercom configuration
- · Batch intercom configuration and software upgrading

# Smart Intercom Solutions



## **Highlights of Akuvox Smart Intercom Solution**

- Build an extensive community-wide communication system
- Work with mobile phones and landlines
- Integrate home automation, video surveillance, and property management systems
- Summon elevator for the authorized visitors and send them to the designated floor

- App-based features, including video calls, remote door unlocking, alarm push notifications, and messages from the property management
- Remote system maintenance via a web browser

## **Solution Overview**






## **Highlights of Akuvox Smart Intercom Solution**

- Flexible door entry options including facial recognition, NFC,
   RF cards, and PIN codes
- Integrate access control, existing phone systems, video surveillance, and time & attendance systems
- Mobile app for business communication on the go

## **Solution Overview**







## **Highlights of Akuvox Smart Intercom Solution**

- Converge the latest technologies, including SIP, Android, and AI
- Easy-to-use system specially designed for older individuals
- 100% transmission of SOS signal to service centers with < 10 seconds SOS signal delay</li>
- Telecare pendant for making emergency calls and remote door unlocking via RF
- Connect with various alarm sensors, such as door magnet and smoke detector, for greater home security
- Remote operation and maintenance of a large number of devices
- · Easy to upgrade the system for new features

## **Solution Overview**

#### Seek Help in an Emergency









## **Highlights of Akuvox Smart Intercom Solution**

- Premium speech quality in any situation
- Vandal-resistant body with IK10 Rating
- Integrate with video surveillance systems
- Direct communication lines to alarm centers or security guards on patrol

## **Solution Overview**






## **Highlights of Akuvox Smart Security Solution**

- Various contactless door entry methods are supported, including NFC, Bluetooth, QR code, and mobile App
- Leak detectors work 24/7 and send real-time leak alerts to property management staff
- Prospective tenants can self-tour the properties using a temporary QR code for property access
- The web management portal and the dedicated app for property managers allow them to grant access to couriers from anywhere and streamline the move-in/move-out process

- The system enables easy upgrade of outdated intercom and security systems over existing wiring
- The system is capable of integrating with various 3rd-party systems, such as smart home and healthcare systems, to fit more application scenarios
- The system can be personalized to satisfy different needs

## **Solution Overview**



Model	X916S	X915S	X912S	S539	S532	R29C	R29C-L	R29C-B
Image	Annual III	I G G I	101 N = 1 1 1 2 1 1 0 0 0	William Control of the Control of th				
On-Wall Mounting		) ((,						
In-Wall Mounting	3 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0000					
Optional Rain Cover				T				
Angle Bracket								

Model	R28A	R27A	R20K	R20B	MD12	MD06	R20A	E18C
lmage			0-0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0-4 0-4 0-1 0-1 0-1 0-1 0-1 0-1 0-1	9999		0 · · · · · · · · · · · · · · · · · · ·	3-0
On-Wall Mounting								
In-Wall Mounting	0.0	0.00	0:0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0000	
Optional Rain Cover								
Angle Bracket								

Model	E16C	E12	E11R	E21V	E21A	E20S	
Image			··⊙ · • ∅••∅  ⊙ —			. 0.	
On-Wall Mounting							
In-Wall Mounting	0000						
Optional Rain Cover							
Angle Bracket							

## Accessories

Model	S567	S565	S563	S562	S560	IT88	C319	X933
Image	340_	340_	10.46 S <u>R</u> A R	3-80		3.40 ar	3:40 a 21%	10. : 8 ± ± 8
On-Wall Mounting	for US for EU		for US for EU			Ü	Ü	
In-Wall Mounting						for in-wall version		for in-wall version
Desktop Bracket						D	D	

Model	IT82	C315	C313	R49G		
Image	A A A A A A A A A A A A A A A A A A A	Shows	4 ±			
On-Wall Mounting						
In-Wall Mounting						
Desktop Bracket						

Model	R20K-2	R20A-2	C313W-2	NS-2	2-Wire Adaptor Kit	NC-2	
Image	0-0 0-0 0-0-0-0-0 0-0-0-0-0-0-0-0-0-0-0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Acres	Afravox	Akuvox voc	Akuvox noz Akuvox noz Akuvox noz	
On-Wall Mounting							
In-Wall Mounting	0.00 0.00 0.00	0000					
Optional Rain Cover							
Angle Bracket							

Model	A08	A05	A03S	A02S	A01S	SR01	EC33	A094S
Image	0 ::	Col	((( = i)) Advance	1 2 3 4 5 6 7 8 9 0 0 9 9	((( = 5))	Ahuvox Model:SR01.	Akuvox	Akuvox
On-Wall Mounting								
In-Wall Mounting		0000						
Optional Rain Cover								
Angle Bracket								

Model	X916S	X915S	X912S	S539	S532	R29C	R29C-L	R29C-B
lmage	Action 1	MAN.	700 200 300 100 100 100 100 100 100 100 100 1	WM and a second				
Display	13"	8"	4"	10"	2.8"	7"	7"	7"
Touch Screen	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
Front Panel	Stainless steel	Stainless steel	Stainless steel	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
PoE	PoE+	PoE+	PoE+	PoE+	Yes	Yes	No	Yes
SIP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Operating System	Android	Android	Linux	Android	Linux	Android	Android	Android
Camera	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
ONVIF	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Wi-Fi	No	No	No	No	No	No	No	No
PIN / Card Entry	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Biometric Access	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
Wiegand	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Temperature Detection	No	No	No	No	No	No	No	Yes
LTE	No	No	No	No	No	No	Yes	No
IP Rating	IP65	IP65	IP65	IP66	IP66	IP65	IP65	IP65
3rd-party Apps	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Model	R28A	R27A	R20K	R20B	MD12	MD06	R20A	E18C
Image	**************************************					92393	• • • • • • • • • • • • • • • • • • •	
Display	4.3"	128 x 32 dots	No	No	No	No	No	7"
Touch Screen	No	No	No	No	No	No	No	Yes
Front Panel	Aluminum	Aluminum	Aluminum alloy	Aluminum alloy	Aluminum	Aluminum	Aluminum alloy	Plastics
PoE	Yes	Yes	Yes	Yes	No	No	Yes	Yes
SIP	Yes	Yes	Yes	Yes	No	No	Yes	Yes
Operating System	Linux	Linux	Linux	Linux	No	No	Linux	Linux
Camera	Yes	Yes	Yes	Yes	No	No	Yes	Yes
ONVIF	Yes	Yes	Yes	Yes	No	No	Yes	Yes
Wi-Fi	No	No	No	No	No	No	No	No
PIN / Card Entry	Yes	Yes	Yes	Yes	No	No	Yes	Yes
Biometric Access	No	No	No	No	No	No	No	Yes
Wiegand	Yes	Yes	Yes	Yes	No	No	Yes	Yes
Temperature Detection	No	No	No	No	No	No	No	Optional
LTE	No	No	No	No	No	No	No	Optional
IP Rating	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65
3rd-party Apps	No	No	No	No	No	No	No	No

Model	E16C	E12	E11R	E21V	E21A	E20S	
lmage			0-0 0-0 		**************************************	. 0.	
Display	5"	No	No	No	No	No	
Touch Screen	Yes	No	No	No	No	No	
Front Panel	Plastics	Plastics	Plastics	Stainless steel	Stainless steel	Stainless steel	
PoE	Yes	Yes	Yes	Yes	Yes	Yes	
SIP	Yes	Yes	Yes	Yes	Yes	Yes	
Operating System	Linux	Linux	Linux	Linux	Linux	Linux	
Camera	Yes	Yes	Yes	Yes	No	No	
ONVIF	Yes	Yes	Yes	Yes	No	No	
Wi-Fi	No	Optional	No	No	No	No	
PIN / Card Entry	Yes	Yes	Yes	No	No	No	
Biometric Access	Yes	No	No	No	No	No	
Wiegand	Yes	Yes	Yes	No	No	No	
Temperature Detection	Optional	No	No	No	No	No	
LTE	No	No	No	No	No	No	
IP Rating	IP65	IP65	-	IP65	IP65	No	
3rd-party Apps	No	No	No	No	No	No	

Model	S567	S565	S563	S562	S560	IT88	C319	X933
lmage	3.40	140. S <u>E</u> <u>B</u> .	6.0	3.02		3.40_ p**	3.40 w 21°	20. 5 ± 2 5
Display	10"	10"	8"	7"	No	10"	10"	7"
Touch Screen	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes
Front Panel	Plastics	Plastics	Plastics	Plastics	Plastics	Aluminum	Plastics	Plastics
PoE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
SIP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Operating System	Android	Linux	Android	Linux	No	Android	Android	Android
Camera	Optional	No	No	No	No	Optional	Optional	No
ONVIF	-	(4)	C=	-	<b>1</b> 00	-	-	1-
Wi-Fi	Optional	Optional	Optional	Optional	-	Optional	Optional	Optional
PIN / Card Entry	-	(=)	0=	-	=0	-	-	-
Biometric Access	=	(=)	.=	5	-		( <del>-</del> )	-
Wiegand	-	-	C=	-	<b>1</b> 00	-	-	-
Temperature Detection	-	-	02	-	E1	=	-	0=
LTE	-	7-1	-	-	-	-	-	-
IP Rating	For indoor	For indoor	For indoor	For indoor	For indoor	For indoor	For indoor	For indoor
3rd-party Apps	Yes	No	Yes	No	No	Yes	Yes	Yes

Model	IT82	C315	C313	R49G		
Image	All parts	Total	Area			
Display	7"	7"	7"	7"		
Touch Screen	Yes	Yes	Yes	Yes		
Front Panel	Aluminum	Plastics	Plastics	Plastics		
PoE	Yes	Yes	Yes	Yes		
SIP	Yes	Yes	Yes	Yes		
Operating System	Android	Android	Linux	Android		
Camera	Optional	No	No	Yes		
ONVIF	<u>=</u>	-	-	2		
Wi-Fi	Optional	Optional	Optional	Yes		
PIN / Card Entry	<b>2</b> 3	-		3.29		
Biometric Access		=	-	-		
Wiegand	<u> </u>	-	12	2 <u>2</u>		
Temperature Detection	-	-	-	=		
LTE	- 0	-	-	-		
IP Rating	For indoor	For indoor	For indoor	For indoor		
3rd-party Apps	Yes	Yes	No	Yes		

Model	R20K-2	R20A-2	C313W-2	NS-2	2-Wire Adaptor Kit	NC-2	
lmage			Access	Bool 552 CCE: Akuvox :	Akuvox ***	Aktivox sto all storages all st	
Display	No	No	7"	-	-	-	
Touch Screen	No	No	Yes	-	-	=:	
Front Panel	Aluminum alloy	Aluminum alloy	Plastics	-	-		
PoE	No	No	Yes	<u>~</u>	<u> </u>		
SIP	Yes	Yes	Yes	=	=	=	
Operating System	Linux	Linux	Linux	=	->		
Camera	Yes	Yes	No	=	-	=:	
ONVIF	Yes	Yes	04	=	120	(2)	
Wi-Fi	No	No	Yes	=	===	==	
PIN / Card Entry	Yes	Yes	(22)	=	1207	(4)	
Biometric Access	No	No	25	=	==	=:	
Wiegand	Yes	Yes	1920	=			
Temperature Detection	No	No	U=	-		-	
LTE	No	No	SH	-			
IP Rating	IP65	IP65	For indoor	=	-	T.	
3rd-party Apps	No	No	No	=	-	-	

Model	A08	A05	A03S	A02S	A01S	SR01	EC33	A094S
lmage	0 2 2 4 5 6 8 2 0 0 0		((c = 1))	1 2 3 4 5 6 7 8 9 0 0 6	((c = 1))	Aluves Model:Sea III IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Akuvox	Akuvox 0 0
Display	No	5"	No	No	No	No	No	No
Touch Screen	No	No	No	No	No	No	No	No
Front Panel	Aluminum	Plastics	Toughened glass	Toughened glass	Toughened glass	Plastics	No	SGCC
PoE	Yes	Yes	Yes	Yes	Yes	No	Yes	No
SIP	No	No	No	No	No	No	No	No
Operating System	Linux	Linux	Linux	Linux	Linux	No	Linux	Linux
Camera	Yes	Yes	No	No	No	No	No	No
ONVIF	No	Yes	No	No	No	No	No	No
Wi-Fi	No	No	No	No	No	No	No	No
PIN / Card Entry	Yes	Yes	Yes	Yes	Yes	No	No	No
Biometric Access	No	Yes	No	No	No	No	No	No
Wiegand	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
Temperature Detection	No	Optional	No	No	No	No	No	No
LTE	No	No	No	No	No	No	No	No
IP Rating	IP65	IP65	IP65	IP65	IP65	No	No	No
3rd-party Apps	No	No	No	No	No	No	No	No





Web: www.akuvox.com Email: sales@akuvox.com Tel: +86-592-2133061 Ext:7527